

24-8-5/34

The oblique impact of a lamina on a fluid. (Cont.)

of a central impact on water of structures, the load-carrying element of which is a lamina. It is assumed that the initial vertical component of the velocity of the lamina v_0 is small by comparison with the constant horizontal component u . It is assumed that the water is incompressible. Such a formulation of the problem leads to the question of the unestablished motion of an infinite fluid about a thin profile with a surface of discontinuity of horizontal velocities attached at the trailing edge. The problem of the unestablished motion of a thin profile with the surface of discontinuity was formulated by Wagner (1) and investigated by Keldysh, M.B. and Lavrentev, M.A. (2) and Sedov, I.I. (3). Sedov first applied the methods of the theory of the unestablished flow about a wing to the problem of unestablished hydro-planing. In this paper, these methods are extended to the case of the unestablished motion caused by the free impact of a lamina on the undisturbed surface of a fluid. There are 4 figures and 7 references, 6 of which are Slavic.

SUBMITTED: November 17, 1956.

AVAILABLE: Library of Congress

Card 2/2

YEGOROV, I. T.

*✓ from
into billis*
I. T. Yegorov, Cand. Technical Sci. (Leningrad), gave a paper "Hydrodynamische
Kraefte am Tragfluegel bei instationaerer Bewegung," at the Shipbuilding Technology
Meeting, Warnemuende, GDR, in 1958.

SO: Schiffbautechnik, June 1959, Uncl.

YEGOROV, I. T. (Leningrad)

" Hydrodynamic Forces in the Unsteady Motion of a Wing."

report presented at the First All-Union Congress on Theoretical and Applied
Mechanics, Moscow, 27 Jan - 3 Feb 60

S/229/62/000/004/001/003
I006/I206

AUTHOR: Yegorov, I.T., Dr. Technical Sciences

TITLE: Non steady forces on lifting wings of light speed
boats in disturbed conditions

PERIODICAL: Sudostroyeniye, no.4, 1962, 13-14

TEXT: This airfoil theory is applied to the calculation of influence of a harmonic wave disturbance at water level upon hydrodynamic lift acting on submerged wings. The theory is applied to the special case of a wing moving with zero angle of attack and zero angular velocity at a depth equal to disturbance wave length. There are 3 figures.

Card 1/1

YEGOROV, I. T. (Cand. Tech. Sci.) (Leningrad)

"Hydrodynamische Kraefte am Tragfluegel bei instationaerer Bewegung,"

paper presented at the Shipbuilding Technology Meeting, Warnemuende, GDR, 1958

SO: Schiffbautechnik, June 1959

CHUVIKOVSKIY, V.S., referent; NOVOZHILOV, V.V., referent; PERNIK, A.D.,
referent; YEGOROV, I.T., referent; TITOV, I.A., referent;
FIRSOV, G.A., referent; BOYTSOV, G.V., inzh.; BASIN, A.M., referent

Scientific engineering conference on hydromechanics and structural
mechanics of ships. Sudostroenie 24 no.7:86-87 J1 '58. (MIRA 11:9)
(Naval architecture--Congresses)

BUN'KOV, M.M., inzh.; YEGOROV, I.T., kand.tekhn.nauk

Ninth Technological Conference on the Theory of Ships. Sudostroenie
27 no.4:81-83 Ap '61. (MIRA 14:3)
(Naval architecture--Congresses)

BUN'KOV, M.M., inzh.; YEGOROV, I.T., doktor tekhn.nauk

Out-of-town Session of the Department on Seaworthiness in the
Scientific Technological Society for Shipbuilding. Sudostroyeniye
28 no.4:83 Ap '62. (MIRA 15:4)

(Naval architecture)

BASIN, M.A.; YEGOROV, I.T.; ISAYEV, I.I.; KRAMAREV, Ye.A.; SADOVNIKOV, Yu.M.
(Leningrad)

"Some features of the use of gaseous media to change hydrodynamical characteristics of solids moving in a fluid"

report presented at the 2nd All-Union Congress on Theoretical and Applied Mechanics, Moscow, 29 January - 5 February 1964

L 61861-65 EWT(d)/EWT(1)/EWP(m)/EWT(m)/FA/EPF(n)-2/EWA(d)/T-2/EWA(w)

Pd-1/Pu-4 Ww

AM5016673

BOOK EXPLOITATION

UR/

629.124.8:502

YEgorov, Ivan Timofeyevich; Sokolov, Vitaliy Timofeyevich

Hydrodynamics of high-speed vessels (Gidrodinamika bystrokhodnykh sudov) Leningrad, Izd-vo "Sudostroyeniye", 1965. 383 p. illus., biblio. 2100 copies printed.

TOPIC TAGS: hydrofoil, equilibrium flow, unsteady flow, lifting surface force, hydrofoil resistance, hydrofoil lateral stability, air cushion vessel

PURPOSE: This book is intended for use by scientific workers, design engineers, and those specializing in ship's hydromechanics.

COVERAGE: This book reports the results of theoretical investigations of the hydrodynamics of gliding vessels, hydrofoil vessels, and ACV's. Main attention has been devoted to methods of calculating the hydrodynamic characteristics of the lifting surfaces of these ships as well as methods for determining their seaworthiness.

Card 1/3

L 61861-65

AM5016673

TABLE OF CONTENTS:

Foreword -- 3

Ch. I. Equilibrium hydrodynamic characteristics of a hydrofoil -- 5
Bibliography -- 102

Ch. II. Unsteady hydrodynamic characteristics of hydrofoils -- 104
A. Some results of the theory of an unsteady moving thin
foil -- 104
B. Hydrodynamic forces on a hydrofoil in unsteady motion -- 139
Bibliography -- 197

Ch. III. Unsteady hydrodynamic forces during interaction between
the lifting surfaces of ships and the free surface of the
water -- 199

A. Hydrodynamic forces during impact with water -- 199
B. Gliding in swelling seas -- 239
Bibliography -- 248

Card 2/3

L 61861-65

AM5016673

Ch. IV. Hydrodynamic calculation of a hydrofoil vessel -- 250

A. Hydrodynamic calculation of foil systems -- 250

B. Resistance and running conditions of hydrofoil vessels -- 270

C. Lateral stability of hydrofoil vessels -- 291

Bibliography -- 302

Ch. V. Peculiarities of calculating the performance of high-speed vessels -- 305

Bibliography -- 349

Ch. VI. Some aerodynamic problems of air-cushion vessels -- 350

Bibliography -- 380

SUB CODE: ME

SUBMITTED: 12Mar65

NO REF SOV: 053

OTHER: 026

Card

132
3/3

L 08195-67 EWT(c)/EWT(l)/EWT(m)/EWP(w)/EWP(o)/EWP(k) IJP(c) EM
ACC NR: AP6030122 SOURCE CODE: UR/0421/66/000/004/0181/0185

AUTHOR: Yegorov, I. T. (Leningrad)

ORG: none

TITLE: Unsteady state motion of a system of thin submerged hydrofoils

SOURCE: AN SSSR. Izvestiya. Mekhanika zhidkosti i gaza, no. 4, 1966, 181-185

TOPIC TAGS: unsteady flow, hydrofoil, fluid flow,

ABSTRACT: The article treats the unsteady state motion of a thin hydrofoil submerged under the free surface of a liquid to a depth h (see Fig. 1).




Figure 1.

Card 1/2

L 08195-67

ACC NR: AP6030122

26

1

It is assumed that the hydrofoil is a flat plate with a chord $(-a, a)$ inclined to the flow at a small angle of attack β . The hydrofoil moves with a velocity u_0 in a positive direction with respect to the real axis. There are also vortical and rotational perturbations, with the small velocities y' and ω_0 , respectively. Assuming that the motion of the hydrofoil starts from a position of rest, and neglecting in the Lagrange integral the ponderability and the quadratic absolute velocities of the motion of the liquid, we get for the potential of the velocity ϕ on the free surface the following boundary conditions: $\phi = 0$ and $y' = 0$ ($-\infty < z < \infty$) (1.1)

The author proceeds to the solution of the problem on the above basis. Orig. art. has: 25 formulas and 5 figures.

SUB CODE: 20/ SUBM DATE: 27Feb66/ ORIG REF: 004/ OTH REF: 002

Card 2/2 dda

YEGOROV, I.V., master

Operation and repair of the No. 222 engineer's brake valve.
Elek. 1 tepl. tiaga 3 no.4:13-15 Ap '59.

(MIRA 12:7)

1. Avtomatnyy ysekh elektrovoznogo depo Moskva III, Severnaya
doroga.

(Electric railroads--Brakes--Maintenance and repair)

YEGOROV, I.V.; ZOLOTAREV, A.M.

Practical training in a one-year agricultural school. Veteri-
naria 30 no.9:7-8 S '53. (MLRA 6:8)

1. Direktor Georgiyevskoy gosudarstvennoy odnogodichnoy sel'skokho-
zyaystvennoy shkoly po podgotovke mladshikh veterinarnykh fel'dsherov
(for Yegorov). 2. Zaveduyushchiy uchebnoy chast'yu shkoly (for
Zolotarev).

YEGOROV, I.V.

Possibility of using chloroform in current anesthesiological practice. Khirurgiia 39 no.7:54-62 JI'63 (MIRA 16:12)

1. Iz kafedry obshchey khirurgii (zav. -- prof. V.A. Ivanov) lechebnogo fakul'teta II Moskovskogo gosudarstvennogo meditsinskogo instituta imeni N.I.Pirogova na baze 13-y Gorodskoy klinicheskoy bol'nitsy Moskvy (glavnyy vrach N.A.Nikolayeva).

YERMOLOV, A.S.; KREYNDLIN, Yu.Z.; YEGOROV, I.V.; BOCHAYER, O.S.; KAL'TER, I.S.

Use of indirect cardiac massage in clinical practice. Khirurgia
40 no.7:36-40 J1 '64. (MIRA 12:2)

1. Kafedra obshchey khirurgii lechebnogo fakul'teta (zav. - prof.
V.A. Ivanov) II Moskovskogo gosudarstvennogo meditsinskogo insti-
tuta imeni Pirogova.

L 1653-66 ENT(m)/ENP(t)/ENP(k)/ENP(b)/EMA(c) JD/1W

ACCESSION NR: AP5021620

UR/0286/65/000/013/0101/0101
621.979.924.002.54

AUTHOR: Shofman, L. A.; Gedymin, Yu. Yu.; Rozhkov, V. M.; Starikov, V. S.;
Kryuchkov, M. V.; Davydov, G. V.; Akhmetshin, M. V.; Kvitsitskiy, A. N.;
Rogozinskiy, A. A.; Feyn, V. I.; Yegorov, I. V.; Roytberg, L. Kh.; Yermash, M. Z.
Rodionov, A. S.

TITLE: Method for tube extrusion. Class 49, No. 172601

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 13, 1965, 101

TOPIC TAGS: metal, metal tube, metal extrusion, tube extrusion

ABSTRACT: This Author Certificate introduces a method for tube extrusion from solid ingots. In this method the metal is first divided into several strips which are subsequently welded in the next die. In order to reduce the extrusion pressure, the diameter of the ingot should be smaller than that of the extruded tube. (AL)

ASSOCIATION: none

SUBMITTED: 30Jan62

NO REF SOV: 000

Card 1/1 DP

ENCL: 00

OTHER: 000

SUB CODE: NOL

ATD PRIN: 4093

L 1655-66 EMT(d)/EMT(m)/EMP(v)/EMP(t)/EMP(k)/EMP(h)/EMP(b)/EMP(l)/EMA(c)

JD/HW
ACCESSION NR: AP5021621

UR/0286/65/000/013/0102/0102
621.979.984.002.54

AUTHOR: Shofman, L. A.; Gadymin, Yu. Yu.; Rozhkov, V. M.; Starikov, V. B.;
Kryuchkov, M. W.; Davydov, G. V.; Akhmetshin, M. K.; Kvitsnitskiy, A. N.;
Rogozinskiy, A. A.; Feygin, V. I.; Yegorov, I. V.; Roytberg, L. Kh.; Yermanok, M. Z.
Rodionov, A. B.

TITLE: Tool for extruding of tubes. Class 49, No. 172602

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 13, 1965, 102

TOPIC TAGS: tube, metal tube, tube extrusion, extrusion tool, extrusion press

ABSTRACT: This Author Certificate introduces a tool for the extrusion of tubes from solid ingots, i.e., container, mandrel, welding chamber, and die. In order to increase the rigidity of individual tools and ensure their precise position in relation to one another, thereby improving the accuracy of the extruded tubes, the mandrel is rigidly mounted in relation to the container; it carries an internal die and is provided with a central compartment for the ingot. Radial canals connect this compartment with the welding chamber, which is formed between container wall and the mandrel surface.

Card 1/2

L 1655-66
ACCESSION NR: AP5021621

ASSOCIATION: none

SUBMITTED: 31Jan62

NO REF SOV: 000

ENCL: 00

OTHER: 000

SUB CODE: MM

ATD PRESS: 4095

Card 2/2

PP

YEGOROV, I.V. (Leningrad)

Deep soil stabilization by urea formaldehyde resin. Osn., fund. 1
mekh. grun. 7 no.5:1-3 '65. (MIRA 18:10)

ACC NR: AP6021111

SOURCE CODE: UR/0413/66/000/011/0050/0051

INVENTOR: Yagorov, I. V.

ORG: none

TITLE: A method for melting the surfaces of objects made of refractory metals.
Class 21, No. 182264

SOURCE: Izobreteniya, promyshlennyye obraztzy, tovarnyye znaki, no. 11, 1966, 50-51

TOPIC TAGS: metallurgy, metallurgic process, metal industry, electric arc, induction melting

ABSTRACT: This Author Certificate presents a method for melting the surfaces of objects made of refractory metals. To improve the quality of the objects, the melting is accomplished by two forms of heating -- by induction melting and by electric arc.

SUB CODE: 13/ SUBM DATE: 22Nov62

Card 1/1

UDC: 621.365.69

YEGOROV, I.Ye.; VISHNEVETSKIY, I.M., glavnyy inzhener.

Ways of improving Moscow's elevator industry. Gor.khoz.Mosk.30
no.6:21-25 Je '56. (MIRA 9:9)

1.Upravlyayushchiy trestom "Liftremont" (for Yegorov).
(Moscow--Elevators)

YEGOROV, I.Ye.; VISHNEVETSKIY, I.M., inzh.

Renovation of elevators in Moscow. Gor. khoz. Mosk. 32
no.8:13-16 Ag '58. (MIRA 11:9)

1. Upravlyayushchiy treestom "Liftremont" (for Yegorov).
(Moscow--Elevators)

YEGOROV, I.Ye.; VISHNEVETSKIY, I.M.; GREYMAN, Yu.V.

New equipment for elevators. Gor.khoz.Mosk. 36 no.1:15-19
Ja '62. (MIRA 16:1)
(Elevators)

YEGOROV, I.Ye.; VISHNEVETSKIY, I.M.

The elevator system and its needs. Gor. khoz. Mosk. 37 no.11:
19-23 N '63. (MIRA 17:1)

1. Upravlyayushchiy trestom "Liftremont" Moskovskogo gorodskogo
zhilishchnogo upravleniya (for Yegorov). 2. Glavnyy inzhener
tresta "Liftremont" Moskovskogo (for Vishnevetskiy).

YEGOROV, K., kand.tekhn.nauk

Automatically controlled grab gantry cranes. Rech. transp. 19
no. 6:39-40 Je '60. (MIRA 14:2)
(Cranes, derricks, etc.) (Automatic control)

YEGOROV, K., kand. tekhn. nauk

Experience in operating an arrangement for the automatic racing
of electric motors on cranes. Rech. transp. 21 no. 11:16-18
N '62. (MIRA 15:11)
(Cranes, derricks, etc.--Electric driving) (Automatic control)

YEGOROV, K., kand.tekhn.nauk; KHABENSKIY, M., kand.tekhn.nauk

Drives with electromagnetic powder sliding sleeves. Rech. transp.
22 no.2:15-17 F '63. (MIRA 16:5)
(Couplings--Testing) (Electric cranes)

YEGOROV, K., obshchestvennyy trener

Obligations of society members. Kryn. rod. 15 no. 1:1 P 161
(KNTA 1961)

1. Tul'skiy aeroklub.

LIVYY, G.V.; GAL'PEROVICH, M.G.; VASILYUK, N.Z.; SOPRIKO, A.Ye.;
KAZARINA, N.I.; CHURINA, V.I.; GIL'MAN, B.A.; YEGOROV, K.A.;
GOMCHAR, Ye.G.

Method of refining the skin side of fur articles made with low
grade peltry; Soviet Certificate of Inventions No.147290. Kozh.-
obuv.prom. 4 no.8:43 Ag '62. (MIRA 15:8)
(Fur industry--Technological innovations)

YEGOROV, K. A.

Mekhanizatsiia transporta osnovnykh tsekhov mashinostroitel'nykh zavodov.
Moskva, Mashgiz, 1949. 179 p. diagrs.

Bibliography: p. (174)

Mechanizing the transportation in the principal shops of machine-building
plants.

DLC: TJ1350.E49

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library
of Congress, 1953.

YEGOROV, KRONIG ALEKSEEVICH.

Mekhanizatsiia pogruzochno-razgruzochnykh rabot v metallurgii. Leningrad, Metallurgizdat, 1949. 267 p. illus.

Bibliography: p. (260)-263.

Mechanization of loading and unloading operations in metallurgical plants.

DLC: TJ1350.E48

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

COMMON ELEMENTS																										PROCESSING AND PREPARATION																										CLASSIFICATION																									
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26																										1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26																										1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26																									
YEGOROV, K. A.																																																				11h																									
Co																																																																													
<p>"Naphthalen" in the treatment of internal diseases. K. A. YEGOROV. <i>Klin. Med.</i> (U. S. S. R.) 12, 1777-80; <i>Chem. Zentr.</i> 1930, II, 1377. Studies are reported on the effect of "Naphthalen" (a natural type of naphtha with- out benzene or kerosene components) on various internal diseases. The action of "Naphthalen" baths on the carbohydrate metabolism, on the red and white corpuscles, and on the kidneys, as well as the resorbability through the skin are discussed. M. G. Moore</p>																																																																													
ASME-5LA METALLURGICAL LITERATURE CLASSIFICATION																																																																													
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26																										1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26																										1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26																									

YEGOROV, K. A.

Osnovy mekhanizatsii pogruzochnorazgruzochnykh rabot v metallurgii (Principles of the mechanization of loading and unloading operations in metal industry) Izd. 2., perer. i dop. Moskva, Metallurgizdat, 1952. 430 p. illus., diagrs., tables.
"Literatura": p. (422)-423.

SO: N/5
741.5
.Y4
1952

YEGOROV, Kronid Alekseyevich, dotsent, kandidat tekhnicheskikh nauk;
SIDOROV, V.N., redaktor; EVENSON, I.M., tekhnicheskii redaktor.

[Railroad transportation for industrial enterprises; a general course] Zheleznodorozhnyi transport promyshlennykh predpriiatii; obshchii kurs. Moskva, Gos. nauchno-tekhnicheskoe izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1955. 382 p.
(Railroads) (MIRA 9:5)

YEGOROV, K.A., kandidat tekhnicheskikh nauk.

Remote control of gantry cranes. Rech.transp.14 no.10:17-19
0 '55. (MIRA 9:1)

1.Nachal'nik laboratorii mekhanizatsii i avtomatizatsii
gruzovykh rabot Tsentral'nogo nauchno-issledovatel'skogo
instituta NVT.

(Cranes, derricks, etc.) (Remote control)

YEGOROV, KONSTANTIN ALEXANDROVICH

N/5
755
.Y7

ZHELEZODOROZHNIY TRANSPORT PROMYSH-LENNYKH PRIDPRIYATIY. (RAILWAY
TRANSPORT IN INDUSTRIAL ENTERPRISES) MOSKVA, METALLURGIZDAT, 1955
382 p. ILLUS., DIAGRS.,

YEGOROV, K., kandidat tekhnicheskikh nauk.

Semiautomatic and remote control of gantry cranes by means of switch control panels. Mor.flot 16 no.5:7-10 My '56. (MLRA 9:8)

1. TSentral'nyy nauchno-issledovatel'skiy institut ekonomiki i ekspluatatsii vodnogo transporta.

(Cranes, derricks, etc.) (Remote control)

YEGOROV, K.A.

YEGOROV, K.A., kand.tekhn.nauk.

Automatizing the operation of clam-shell winches on electric
cranes. Rech.transp. 16 no.9:32-34 S '57. (MIRA 10:12)
(Winches) (Automatic control)

AUTHOR: Yegorov, K.A., Candidate of Technical Sciences 118-58-5-12/18

TITLE: Methods of Automation of Loading-Unloading Work (Puti avtomatizatsii pogruzochno-razgruzochnykh rabot)

PERIODICAL: Mekhanizatsiya Trudoy i Tyazhlykh Rabot, 1958, Nr 5
pp 34 - 36 (USSR)

ABSTRACT: The automation of loading and unloading operations is lagging behind the automation of production processes. At present, complex automation can be carried out only for loose goods - coal, grain, cement, etc., and only under certain conditions, can partial automation be realized for other type goods. The author then turns to the work of devices for continuous and cyclic operations. For the most part, the former consist of several conveyers working in succession, and the automatic control of the electric motors of these machines. With a great number of machines, the control of the installation can be centralized by using low-voltage boards and intermediate amplification. The first stage of automating the work of electrical machines of cyclic operation is the automation of crane electric drive and conversion to key control with intermediate amplification. The first cranes converted to semi-automatic key con-

Card 1/2

Methods of Automation of Loading-Unloading Work

118-58-5-12/18

trol have been designed by the Laboratory for Automation of Loading Work of the Tsentral'nyy nauchno-issledovatel'skiy institut ekonomiki i ekspluatatsii vodnogo transporta (TsNIIIEVT) (Central Scientific Research Institute of the Water Transport Economy and Exploitation). They are operating in the Moscow southern and the Leningrad commercial harbours. The key control system with intermediate amplification gives, in case of need, a safe remote-control from a portable desk. The next stage of automation of grab crane control is the automation of grab winch work. Cranes with complete automation of inner-cycle operation are still being experimented upon. A brake has been designed by the Laboratory of Loading Work Automation of the TsNIIIEVT by which a railroad car can be stopped exactly at the point where it is to be discharged or loaded. This is done by a remote control maneuvering hoist, furnished with a brake. There is one drawing and 1 photo.

AVAILABLE: Library of Congress

Card 2/2 1. Cargo-Handling-Automation 2. Cargo handling-Equipment

SMIRNOV, Ye.V., kand.tekhn.nauk; YEGOROV, K.A., kand.tekhn.nauk

Tasks and methods of mechanizing and automating loading and unloading operations at river ports. Rech.transp. 17 no.10:19-21
0 '58. (MIRA 11:12)
(Loading and unloading) (Harbors)

YEGOROV, K.

Combined control key for gantry cranes with two panels. Mor.flot
18 no.3:11-14 Mr '58. (MIRA 11:4)

1. Nachal'nik laboratorii avtomatizatsii gruzovykh rabot TSentral'nogo
nauchno-issledovatel'skogo ekonomiki i ekspluatatsii vodnogo
transporta.

(Cranes, derricks, etc.) (Automatic control)

SMEKHOV, Anatoliy Alekseyevich, kand.tekhn.nauk. Prinsipal uchastiye
YEGOROV, K.A., kand.tekhn.nauk. YEFIMOV, G.P., red.;
MEDVEDEVA, M.A., tekhn.red.

[Principles of the automatization of loading and unloading
operations] Puti avtomatizatsii pogruzochno-razgruzochnykh
rabot. Moskva, Vses.izdatel'sko-poligr.ob"edinenie M-vs putei
soobshcheniya, 1960. 113 p. (MIRA 13:9)
(Loading and unloading) (Automatic control)
(Railroads--Freight)

YEGOROV, Kronid Alekseyevich; REYNGOL'DT, Yu.A., retsenzent; MEKLER,
A.G., red.; LORANOV, Ye.M., red.izd-va; BODROVA, V.A.,
tekhn.red.

[Automatic control of loading and unloading machines and
equipment in harbors] Avtomatizatsiya upravleniya portovymi
peregruzochnymi mashinami i ustanovkami. Moskva, Izd-vo
"Nauchnyi transport," 1960. 167 p. (MIRA 13:11)
(Harbors--Equipment and supplies)
(Cargo handling--Equipment and supplies)

YEGOROV, K.A., kand.tekhn.nauk; KHABENSKIY, M.Ya., kand.tekhn.nauk

Automated started of asynchronous motors with a phase rotor using
electronic starting devices. Prom. energ. 15 no.12:15-17 D '60.

(MIRA 13:12)

(Electric motors, Induction--Starting devices)

YEGOROV, K.D.

G.M. Krzhizhanovskii and soviet science on economic zoning.
Obshch. energ. no.6:6-13 '63. (MIRA 16:10)

(Krzhizhanovskii, Gleb Maksimilianovich, 1872-)
(Economic zoning)

ЕГОРОВ, Константин Дмитриевич, ed. ... i proizvozhitel'nye sily Tsentral'no-
promyshlennoi oblasti. Trudy Obshchnoi konferentsii po izucheniiu ekonomiki i
proizvozhitel'nykh sil TS'SR. 2-11 fevralia 1924 g. Pod obshch. red. K.D.
Egorova. Moskva, Izd-vo Gosplana SSSR, 1925. ix, 372 p. [Russia (1923- U.S.S.R.)
Gosudarstvennaia planovnaia komissia] Trudy Gosplana, kn. V)

DIC. HC335.M4

SO: LC, Soviet Geography, Part I, 1951, Uncl.

YEGOROV, Konstantin Dmitrievich.

EGOROV, Konstantin Dmitrievich. Ekonomika raionov SSSR. Moskva, Gosizdat, 1928. 78 p.
DLC: EC335.E37

SO: LC, Soviet Geography, Part I, 1951, Uncl.

LEONOV, Leonid Ivanovich; YEGOROV, K.D., redaktor; LAVRENT'YEVA, Ye.V.,
redaktor.

[In high latitudes; notes of a naturalist] V vysokikh shiroтах; za-
pisaki naturalista. Moskva, Gos. izd-vo geogr. lit-ry, 1953, 119 p.
(Arctic regions— Zoogeography) (MLRA 7:7)

YEGOROV, Konstantin Dmitriyevich; USPENSKAYA, N.V.; ISLENT'YEVA, P.G.,
tekhnicheskiy redaktor.

[The courageous polar explorer, G.I.A.Sedov] Otvazhnyi poliarnyi
issledovatel' G.I.A.Sedov. Moskva, Izd-vo "Znanie," 1954. 21 p.
(Vsesoiuznoe obshchestvo po rasprostraneniю politicheskikh i
nauchnykh znani. Ser. 3, no.30) (MLRA 7:8)
(Sedov, Georgii Iakovlevich, 1877-1914) (Arctic regions)

YEGOROV, Konstantin Dmitriyevich; MOSHKIN, A.S., red.; VOLKOV, I.V., tekhn.
red.

[For the Russian North; history of the conquest of the Russian North and the struggle with foreign aggressors over the northern sea route] Za russkii Sever; iz istorii osvoenia russkogo Severa i bor'by s inozemnymi agressorami za severnye morskoe puti. Murmansk, Knizhnaya red. "Poliarnoi pravdy," 1957. 104 p. (MIRA 11:10)
(Arctic regions)

YEGOROV, K.D., kand.ekon.nauk; TROSHINA, A.P.; KOVALEV, P.P.; NOVIKOVA, A.A.; LAGUTINA, M.V.; VOLHINA, N.A.; SHESTAKOVA, R.V.; AKIMCHENKO, O.Ye.; KULEBAKIN, V.S., akademik, red.; VEYES, V.I., red.; BUTENKO, A.F., kand.filosof.nauk, red.; RYBINSKIY, M.I., red.; CHASHNIKOVA, M.V., red.; NIZHNYAYA, S., red.; VOSKRESENSKAYA, T., red.; CHEKHUTOVA, V., red.; RKLITSKAYA, A.D., red.; CHEPELEVA, O., tekhn.red.

[Works of the State Commission for the Electrification of Russia; documents and materials] Trudy Gosudarstvennoi komissii po elektrifikatsii Rossii GOELRO; dokumenty i materialy. Red.komissia: V.S.Kulebakina and others. Moskva. Izd-vo sotsial'no-ekon.lit-ry, 1960. 306 p. (MIRA 14:2)

1. Russia (1917- R.S.F.S.R.) Gosudarstvennaya komissiya po elektrifikatsii Rossii. 2. Chlen-korrespondent AN SSSR (for Veyts). (Electrification)

YEGOROV, K.D., kand. ekon. nauk; ALEKSANDROVA-ZAORSKAYA, V.V.,
doktor ekon. nauk, prof.; STEPANOV, P.N., doktor geogr.
nauk, prof.; KULEBAKIN, V.S., akademik, red.; KRUSHILIN,
G.N., red.; FEDOROV, A.G., red.; KYBINSKIY, M.I., red.;
CHASHNIKOVA, M.V., red.

[Materials on the electrification of individual districts]
Materialy po elektrifikatsii otdel'nykh raionov; trudy.
Moskva, Izd-vo "Nauka," 1964. 299 p. (MIRA 17:4)

1. Russia (1917- R.S.F.S.R.) Gosudarstvennaya komissiya po
elektrifikatsii Rossii. 2. Chlen-korrespondent AN SSSR (for
Krushilin).

YEGOROV, K.F., kand.yurid.nauk

Legal consequences of the deviation of sea freighters from their
course. Inform.sbor.TSNIIMF no.34:36-43 '58. (MIRA 14:3)
(Maritime law)

YEGOROV, K. I.

Torgovlya Grammofonnyimi Plastinkami (Trade in Gramophone Records, By) K. I. Yegorov, D. S. Maksimov (1) I. M. Sizov. Moskva, Gostorgizdat, 1952.
79 P. Illus., Diagr., Tables (V Pomoshch' Prodavtsu i Zaveduyushchemu Sektsiyey Promtovarnogo Magazina).

SO N/5

749.4

.Y4

SEKT, P.Ye.; TESLENKO, F.F.; GAYVOY, A.A.; GIMEL'SHTEYN, T.Ye.; YEGOREV,
K.M.; LITVINENKO, M.S.

Revision of the existing prices of coke chemicals and coke-oven gas.
Koks i khim. no.2:47-50 '61. (MIRA 14:2)

1. Khar'kovskiy inzhenerno-ekonomicheskii institut (for Sekt, Teslenko).
2. Giprokoks (for Gayvoy, Gimel'shteyn, Yegorev). 3. Khar'kovskiy
nauchno-issledovatel'skiy uglekhimicheskiy institut (for Litvinenko).
(Coke industry--By-products) (Chemicals--Prices)
(Coke-oven gas--Prices)

YEGOROV, K.N.

Shortcomings of the actual price list for coal fuel. Koks 1
khim. no.4:50-53 '61. (MIRA 14:3)
(Coal--Prices)

AGALETSKIY, P.N., laureat Stalinskoy premii; YEGOROV, K.N.

Using balance arm as a measuring instrument in the investigation of
knife support systems of pendulum instruments. Trudy VNIIM no.11:18-30
'50. (MIRA 11:6)

(Pendulum)

AGALETSKIY, P.N.; YEGOROV, K.N.

Results of investigations conducted at the Leningrad Scientific Research Institute of Metrology to determine the absolute gravitational acceleration. Izv.tekh.no.6:29-34 N-D '56. (MIRA 10:1)

(Gravity—Measurement)

AGALETSKIY, B.M.; YEGOROV, K.N.; MARTSINYAK, A.I.; YANOVSKIY, B.M., prof.
red.; ARUTYUNOV, V.O., doktor tekhn.nauk, prof., otvetstvenny red.;
MATVEYEVA, A.Ye., tekhn.red.

[Absolute determination of the acceleration of gravity at the
All-Union Scientific Research Institute of Metrology.] Absoliut-
nye opredeleniia uskoreniia sily tiazhesti v punkte VNIIM. Moskva,
Gos. izd-vo standartov "STANDARTGIZ." 1958. 89 p. (Leningrad.
Vsesoiuznyi nauchno-issledovatel'skii institut metrologii. Trudy
no.32) (MIRA 11:11)

1. Direktor Vsesoyuznogo nauchno-issledovatel'skogo intituta metro-
logii im. D.I. Mendeleeva (for Arutyunov).
(Gravity)

30V/169-59-5-4487

Translation from: Referativnyy zhurnal, Geofizika, 1959, Nr 5, pp 30 - 31
(USSR)

24.4200

AUTHORS: Agaletskiy, P.N., Yegorov, K.N., Martsinyak, A.I.

TITLE: The Absolute Determinations of the Acceleration of Gravity at the VNIIM Station ✓

PERIODICAL: Tr. Vses. n.-i. in-ta metrol., 1958, Nr 32 (92), 91 p, 111.

ABSTRACT: Determinations of the absolute value of g, carried out in Washington (1936) and in Teddington (1938) yielded discrepancies of up to 20 mgal in comparison with the Potsdam system. Such large discrepancies were considered to have resulted from inaccuracies in method and insufficient evaluations of systematic errors of the measurement. Therefore, the Research Institute of Metrology in Leningrad paid a special attention to the detailed clarification of the nature of the sources of systematic errors and the methods for their exclusion, when developing the methods for fundamental determination of g. The studies were begun in 1940, interrupted by the war, and finished in 1956. ✓

Card 1/5

SOV/169-59-5-4487

The Absolute Determinations of the Acceleration of Gravity in the VNIIM Station

The measurements were carried out by way of three independent methods:
1) joined fall of bodies; 2) free fall of a body; 3) swinging pendulums.
Three swinging pendulums with various reduced length of 40, 60 and 75 cm were used in the measurements. The rods of the pendulums were made of fused quartz glass, the bobs of brass bars. The two ends of the pendulum rods were provided with grooves covered with quartz plates. This way, openings were formed at the ends of the rods, inside of which cushions of hard glass were put on the quartz plates. All the parts made of quartz and glass were connected by the forces of molecular cohesion. The pendulums were swinging alternately within a copper vacuum vessel on fixed knife-edges produced of a special tool steel. The whole set-up was placed on concrete posts in a room the temperature of which was maintained constant by conditioning. The distances between the support bearings of the pendulums have been determined with a gaging machine, with an error which did not exceed 0.6μ . The swinging period has been determined by using the signals of a standard generator, the maximum error of which is smaller than $3 \cdot 10^{-8}$ sec. The duration of swinging in each individual experiment was 15 - 20 min. The adjusted value of g from

Card 2/5

SOV/169-59-5-4487

The Absolute Determinations of the Acceleration of Gravity in the VNIIM Station

the observations of the swinging pendulums was found to be $981.9187 \pm 0.0004 \text{ cm/sec}^2$. Using the method of joined fall, the falling was observed in the staircase of the building of the Institute of Metrology; a metallic cylinder was falling from a height of 14 m. Within the cylinder and simultaneously with the cylinder, a brass frame was falling. Magnetic recorders fixed on the falling cylinder, slid along the vertical steel wires and marked magnetic marks on the wires during the fall of the cylinder. The recorders were operated by pulses from a stable generator with a frequency of 62.5 cps. The same pulses caused the flashing of an inertia-free bulb which illuminated a slit within the cylinder. The image of the slit was projected onto a photographic plate fixed on the frame falling within the cylinder. As the air of atmospheric pressure was within the cylinder, the results of observation were corrected for the effect of air. The temperature of the various sections of the steel wires was determined by means of some thermocouples. Prior to measuring the distances between the magnetic marks, the wires were strewn with iron filings forming on them characteristic strokes. The measuring of the wires was carried out by means of a calibrating tape and a metric standard on a horizontal stand. The strokes formed on the photographic plate of the falling

Card 3/5

80805
SOV/169-59-5-4487

The Absolute Determinations of the Acceleration of Gravity in the VNIIM Station

frame, were measured by means of a gaging machine. The value of g was computed from the position of the frame in relation to the marks on the wires and was adjusted by the method of the least squares from 21 falls; the result was $981.9215 \pm 0.0016 \text{ cm/sec}^2$. Using the method of free fall of a body, a metric rod was falling within an evacuated copper vessel. A photo-emulsion coated the plane opposite faces of the quartz parts of the rod, and the image of the immovable slit, periodically illuminated by the flashes of an inertia-free bulb, was projected onto the photoemulsion. The bulb was operated by the pulses from a quartz timekeeper with the transformed frequency of 125 and 250 cps. The setup was placed in the gravimetric basement of the Institute where the fluctuations of temperature are very small. Fifteen falls of the rod were observed. The distances between the marks on the emulsion layer of iron were determined by means of the gaging machine. After carrying out the necessary corrections, the values of g were adjusted by the method of least squares. The final result of these experiments amounts to $981.9224 \pm 0.0020 \text{ cm/sec}^2$. The values of g for the point of the investigations in the

Card 4/5

SOV/169-59-5-4487

The Absolute Determinations of the Acceleration of Gravity in the VNIIM Station

Potsdam system amounted to 981.9308. Therefore, the new determinations of g differ from the value in this system by 12.6 mgal (for the pendulums), by 9.3 mgal (for the joined fall of bodies), and by 8.1 mgal (for the free fall of a body). Bibl. 34 titles.

Yu.S. Dobrokhotoy

X

Card 5/5

YEGOROV, K.N.

Measuring the absolute value of gravity acceleration. Izv.
tekh. 20 no.1:63 Ja '59. (MIRA 11:12)
(Gravity--Measurement)

S/115/60/000/008/003/013
B019/B063

AUTHORS:

Yegorov, K. N., Martsinyak, A. I.

TITLE:

Determination of the Absolute Value of γ Gravitational
Acceleration for the Location of the VNIIM

PERIODICAL:

Izmeritel'naya tekhnika, 1960, No. 8, pp. 10-11

TEXT: The Vsesoyuznyy nauchno-issledovatel'skiy institut metrologii imeni D. I. Mendeleyeva (VNIIM) (All-Union Scientific Research Institute of Metrology imeni D. I. Mendeleyev) carried out research work from 1947 to 1960 for the determination of gravitational acceleration g . g was determined with torsional pendulums according to the joint fall of two bodies (P. N. Agaletskiy's method) and according to the free fall of a quartz rod (A. I. Martsinyak's method). This work was, for the major part, finished in 1956, and the results were discussed at the Ninth General Assembly of the International Union of Geodesy and Geophysics which was held in Toronto in September, 1957. The high scientific value of this work was recognized at this conference. Further experiments were made from

Card 1/2

Determination of the Absolute Value of
Gravitational Acceleration for the Location
of the VNIIM

S/115/60/000/008/003/013
B019/B063

1957 to 1959 by Agaletskiy's and Martsinyak's methods, in which bearing plates of molten quartz were used for the pendulums instead of glass plates. These experiments were intended to show that the results of measurement did not depend on the material of the bearing plates. g was determined from the free fall of a quartz rod in such a way that light pulses of a certain frequency incided upon the quartz rod which was coated with a photosensitive layer. g was then calculated from the increasing spacing of the blackenings. 245 values were determined by these methods with an average of $981.9192 \text{ cm/sec}^2$. A value of $981.919 \pm 0.003 \text{ cm/sec}^2$ is recommended for metrological work. A value of $59^{\circ}55'06''$ is given for the latitude of the location of the VNIIM (Leningrad); the longitude is $+2.7''$ west of Pulkovo, and the height above sea-level is 3.5 m. There are 1 table and 5 Soviet references.

Card 2/2

YEGOROV, K.N.

Methods of determining the absolute value of gravity from interference measurements of the path of free fall. Izv. AN SSSR, Ser. geofiz. no.9:1348-1356 S '63. (MIRA 16:10)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut metrologii im. D.I.Mendeleeva.

YEGOROV, K., sud'ya vsesoyuznoy kategorii; GONCHARENKO, V., absolyutnyy
champion Ukrainy po planernomu sportu; KILNA, A.; EPERMANIS, Z.

In soaring flight. Kryl. rod. 16 no.9:7 S '65.

(MIRA 18:12)

1. Nachal'nik Lipyayskogo obshchestvennogo kluba (for
Epermanis).

KUSHNIR, F.V., ovt.red.; GAVRILOV, A.F., zaslushenny deyatel' nauki i tekhniki, prof., red.; DOZUKHANOV, M.P., prof., red.; YEGOROV, K.P., dots., red.; ZHDANOV, I.M., prof., red.; ZELYAKH, E.V., prof., red.; ZELIGER, N.B., prof., red.; LEBEDEV, K.N., dots., red.; ODNOL'KO, V.V., dots., red.; ROMANOVSKIY, V.B., [deceased], dots., red.; POMICHENOV, I.N., dots., red.; SHINIBEROV, P.Ya., dots., red.; SHMAKOV, P.V., zaslushenny deyatel' nauki i tekhniki prof., red.; GAL'CHINSKAYA, V.V., tekhn.red.

[Structure and reactivity of organic compounds] Voprosy stroeniia i reaktsionnoi sposobnosti organicheskikh soedinenii. Leningrad, 1959. 372 p. (Leningrad. Elektrotekhnicheskii institut svyazi. Trudy, no.8). (MIRA 13:11)

(Chemistry, Organic)

(Chemical structure)

YEGOROV, K. P.

Osobennosti proektirovaniia sistem dal'nei vysokochastotnoi sviazi po kabeliam.
[Special features of designing the systems of long distance high-frequency cable
communication]. Moskva, Izd-vo let-ry po vop-rosam sviazi i radio, 1949.
107 p. diags., tables.

SO: SOVIET TRANSPORTATION AND COMMUNICATIONS, A BIBLIOGRAPHY, Library of Congress
Reference Department, Washington, 1952, Unclassified.

YEGOROV, K. P.

Yegorov, K. P. "A differential system / of long-distance communication / with unequal arms," Sbornik trudov Leningr. elektrotekhn. in-ta svyazi im. Bonch-Bruyevicha, Issue 4, 1949, p. 55-63

SO: U-3566, 15 March 53, (Letopis 'Zhurnal 'nykh Statey, No. 14, 1949).

YEGOROV, K. P.

"Differential Systems of Long-Distance Communications Equipment," Sbornik
Trudov LEIS imeni Bonch-Bruyevich, No 6, 1949.

YAGOROV, K? P.

29214 Dal'nyaya svyaz'. Priroda, 1949, No. 9, s. 15-28

SO: Letopis' Zhurnal'nykh Statey, Vol. 39, Moskv., 1949

YEGOROV, K. P.

USSR/Electronics - Combined Systems Carrier Telephony

Jul 52

"Long-Distance High-Frequency Telephone Communications Along Electric Power Transmission Lines," Cand Tech Sci I. K. Bobrovskaya, Ya. L. Bykhovskiy and K. P. Yegorov and Engrs B. S. Klebanov, V. I. Medvedev, and N. K. Myakochina

"Elektrichestvo" No 7, pp 41-46

Gives basic data for apparatus EPO-1 (single-sideband, 84 one-way channels) designed for hf telephony along power transmission lines. Work was begun in 1945 by Central Sci Res Elec Eng Lab, and prototypes were developed, with participation of this lab, by plant of Min of Commun Equip Ind in conjunction with Chair of Long-Distance Commun of Elec Eng Inst of Commun imeni Bonch-Bruyevich. Experimental samples of EPO-1 have been placed in continuous operation. Submitted 19 Oct 51.

PA 237T41

YEGOROV, K.P.; DAVYDOV, G.B., otvetstvennyy redaktor; GOROKHOVSKIY, A.V.,
redaktor.

[Transmission of television signals over long-distance communica-
tions lines] Peredacha televizionnykh signalov po liniyam dal'nei
svyazi. Moskva, Gos. izd-vo lit-ry po voprosam svyazi i radio, 1953.
33 p. (Lektsii po tekhnike svyazi) (MLRA 7:4)

(Television--Transmitters and transmission)

YEGOROV, K. P.

PHASE I BOOK EXPLOITATION

Koshcheyev, I.A.

202

Osnovy teorii elektricheskoy svyazi. Lineynyye sistemy s
sosredotochennymi parametrami (Fundamentals of Electric
Communication. Linear Systems with Lumped Parameters)
Moscow Svyaz'izdat, 1954. 370 p. 20,000 copies printed.

Resp. Ed.: Yefimov, I. Ye.; Ed.: Ogarkov, P.F.; Tech. Ed.:
Sokolova, R.Ya.; Reviewers (mentioned in Preface): Zelyakh,
E.V., Prof., Yegorov, K.P., Docent, and Sadovskiy, A.S.,
Docent

PURPOSE: The book is intended as a textbook for students of
higher technical schools (vtuz) specializing in communications.
It was approved by the Main Administration of Schools of the
Ministry of Communications of the USSR.

COVERAGE: See Table of Contents.
There are 6 references, all of which are Soviet (including
1 translation).

Card 1/9

Fundamentals of Electric Communication

202

TABLE OF
CONTENTS:

Preface

3

Ch. 1. Development of Electric Communication

1. Historical information
2. Modern electric communication
3. Schematic diagrams of electric-communication networks

5
8
11

Ch. 2. Principles of Electric Communication and
Frequency Spectrum

1. Principle of d-c telegraphy
2. Frequency spectrum in d-c telegraphy
3. Principle of telephonic communication
4. Frequency spectrum in telephony

14
18
20
24

Card 2/9

Fundamentals of Electric Communication

202

5. Characteristic values for loudness of telephone transmission	28
6. Concept of phototelegraphy	29
7. Concept of television	34
8. Spectral composition of communication signals	37
9. Concept of multiple communication	45
10. Amplitude modulation and manipulation	47
11. Phase modulation	52
12. Frequency modulation	56
13. Frequency spectra used in modern electric communication	59
14. Combined wire- and wireless electric communication	61

Ch. 3. Two-terminal Networks

1. General concept of a two-terminal network	63
2. Simplest two-terminal networks without resistances	68
3. Arrangement of two-terminal networks	73

Card 3/9

Fundamentals of Electric Communication

202

- 4. General form of two-terminal networks with reactive components 76
- 5. Construction of circuits and calculation of components of two-terminal networks for a given resistance frequency response
- 6. Two-terminal networks consisting of resistances and reactances 84
- 7. Two-terminal networks consisting of a series connection of two reactances and one resistance 87
- 8. Two-terminal networks consisting of parallel connections of two two-terminal networks of the form shown in Fig. 3.20 e. 88

Ch. 4. Some Applications of Two-Terminal Networks

- 1. Oscillations in a series circuit 99
- 2. Forced sustained oscillations in an oscillatory series circuit 102

Card 4/9

Fundamentals of Electric Communication	202
3. Forced oscillations in parallel circuits	108
Ch. 5. Four-Terminal Networks	
1. General concept of a four-terminal network	117
2. Application of the principle of reciprocity to four-terminal networks	119
3. Some types of simple four-terminal networks	122
4. Input- and resistances of four-terminal networks	127
5. Equivalent-oscillator theorem	133
6. Concept of transfer constant in a four-terminal network	134
7. Insertion transfer constant	136
8. Iterative parameters of a four-terminal network	139
9. Operative transfer constant	139
10. Natural transfer constant	141
11. Frequency responses of the parameters of a four-terminal network	143

Card 5/9

Fundamentals of Electric Communication	202
12. Relationship between various parameters of a four-terminal network	159
13. Equivalence of four-terminal networks	161
14. Chain connection of four-terminal networks	162
15. Concept of complex connections of four-terminal networks	167
16. Secondary parameters of most frequently used four-terminal networks	171
17. Error theorem	179
18. Determination of image attenuation constant and natural phase shift constant of a four-terminal network by short-circuit and open-circuit resistances	180
Ch. 6. Electric Filters	
1. Concept of an electric filter	182
2. Constant-K filter	187
3. Filters of the t-type	201
4. Concept of joint operation of filters	217
5. Computation of filter losses	225

Card 6/9

Fundamentals of Electric Communication	202
6. Concept of differential (intersecting) filters	230
7. Filters with quartz elements	233
8. Calculation of the operative and insertion transfer constants of filters	237
9. Filter circuits, equivalent to intersecting bridge circuits	241
Ch. 7. Coupled Systems	
1. General concepts	243
2. Frequency responses of impedances and reduced resistances of a system with transformer coupling	253
3. Tuning of a system with transformer coupling	259
4. Efficiency of a system with transformer coupling	264
5. Transmission band of a system with transformer coupling	266
6. Some special applications of systems with transformer couplings	269
7. Transformer for matching resistances	273

Card 7/9

Fundamentals of Electric Communication	202
8. Autotransformer for matching resistances	279
Ch. 8. Four-terminal Networks for Reducing Distortion	
1. Concept of distortion in linear systems	283
2. Four-terminal networks for reducing amplitude distortion	290
3. Calculation of four-terminal networks for reducing amplitude distortion	298
4. Four-terminal networks for reducing phase distortion	304
5. Computation formulae for simplest circuits	313
6. Computation methods for four-terminal networks for reducing phase distortion	321
Ch. 9. Steady-state Processes in Linear Systems	
1. Determining the current and voltage pulses in elements of linear systems	336
2. Method of P.K. Akul'shin	342
3. Calculation examples of current-build-up curve according to the method of P.K. Akul'shin	344
Card 8/9	

Fundamentals of Electric Communication	202
4. Stability of linear systems	351
5. Relationship between the components of the transfer coefficient	356
Appendix.	
Properties of Hyperbolic functions	360
References	367
AVAILABLE: Library of Congress (TK 5101 .K6)	

JJP/kav
7-26-58

Card 9/9

YEGOROV, K.P., dotsent, kandidat tekhnicheskikh nauk.

Terminology in theoretical electrical engineering. Elektrichestvo
no.3:72 Mr '54. (MLRA 7:4)

1. Kafedra dal'ney svyazi LEIS im. Bonch-Bruyevicha.
(Electric engineering--Terminology)

YEGOROV, K.P., laureat Stalinskoy premii, kandidat tekhnicheskikh nauk;
VOSTOKOV, M.N.; NECHAY, P.A.; GURVITS, Sh.F.

Remarks on IU.M.Korobov's article "What a telephone apparatus should
be like." Vest.sviazi 14 no.2:30-31 F '54. (MLRA 7:5)

1. Zaveduyushchiy kafedroy LEIS (for Yegorov).
2. Glavnyy inzhener
3-go Glavnogo upravleniya MESSP (for Vostokov).
3. Ispolnyayushchiy
obyazannost' inzhenera Kiyevskoy gorodskoy telefonnoy seti (for Nechay).
4. Nachal'nik proizvodstvennoy laboratorii (for Gurvits).
(Korobov, IU.M.) (Telephone---Apparatus and supplies)

Translation M-888, 12 Dec 55

YEGOROV, K. P.

PHASE I BOOK EXPLOITATION

453

Yegorov, K. P. and Tikhonov, G. P.

Konstruirovaniye apparatury dal'ney svyazi (Designing of Long-distance Communications Equipment) Moscow, Gosenergoizdat, 1955. 422 p. 5,000 copies printed.

Ed.: Stipakov, I. S.; Tech. Ed.: Voronetskaya, L. V.

Reviewer: G. G. Borozdiuk.

PURPOSE: The monograph is intended for electrical engineers, but may also be used by technicians and students in the higher grades at vtuzes offering courses in electrical engineering.

COVERAGE: Account is given of technical designs and methods on which is based the construction of modern long-distance communications systems. Data on equipment components and design of units are presented in close connection with the technology of their production. Soviet equipment design and problems of mounting and shielding are reviewed. Reference data are contained in appendices.

Card 1/10

Designing of Long-distance Communications Equipment

453

K. P. Yegorov wrote chapters 1, 4, 5, 6, 7, 8, 9, 10 and 14. G. P. Tikhonov wrote chapters 2, 3, 11, 15 and 16. Chapters 12 and 13 were written jointly by the two authors. The authors thank the following personalities for their help: N. N. Shol'ts, T. S. Kloracheva, V. M. Sorokin (deceased), B. S. Klebanov, Ya. I. Velikin, L. I. Rabkin, P. P. Averin, Ya. F. Iuzyanin, D. A. Yermolayev and I. V. Tideman. There are 39 references, 23 of which are Soviet, 9 English, 7 German.

TABLE OF
CONTENTS:

Ch. 1. Long-distance Communications Equipment	7
1-1 Historical reference	7
1-2 General information	8
Ch. 2 Resistors	12
2-1 General information	12
2-2 Wire-wound resistors	19
Card 2/10	

Designing of Long-distance Communications Equipment	453
2-3 Carbon and ceramic resistors	32
2-4 MLT type of metallized heatproof resistors	38
2-5 KLV and KLM types of composition lacquered resistors	40
2-6 Variable carbon resistors	40
2-7 Ballast resistors	43
2-8 Thermistors	45
2-9 MMT types of copper-manganese thermoresistors	47
Ch. 3 Capacitors	49
3-1 General information	49
3-2 Capacitors with paper dielectric	58

Card 3/10

Designing of Long-distance Communications Equipment	453
3-3 Mica capacitors	67
3-4 "Styroflex" [Polystyrene] capacitors	75
3-5 Ceramic capacitor	79
3-6 Electrolytic capacitors	82
3-7 Variable air capacitors	85
Ch. 4 Inductance Coils	90
Ch. 5 Coils Without Ferromagnetic Cores	95
5-1 Single-layer cylindrical winding	95
5-2 Multi-layer cylindrical winding	96
5-3 Universal winding	98
5-4 Toroidal winding	103

Card 4/10

Designing of Long-distance Communications Equipment	453
5-5 Calculation of inductance	104
5-6 Coil capacitance	106
5-7 Selection of wire, effect of overall dimensions	109
5-8 Coil shielding	118
5-9 Coil stability	122
5-10 Adjustment of inductance	126
Ch. 6 Coils With Ferromagnetic Cores Made of Ferrites and Magnetodielectrics	128
6-1 Basic designs	128
6-2 Basic properties of ferromagnetic cores	132
6-3 Design of coils with ferromagnetic cores	156

Card 5/10

Designing of Long-distance Communications Equipment	453
6-4 Coil stability	170
6-5 Adjustment of inductance	176
Ch. 7 Coils With Ferromagnetic Sheet Cores	178
7-1 General information	178
7-2 Basic designs	193
7-3 Coil designing	199
7-4 Nonlinear coils	201
Ch. 8 Transformers	203
8-1 General information	203
8-2 Calculation of inductance	205
8-3 Selection of core material	206

Card 6/10

Designing of Long-distance Communications Equipment	453
8-4 Winding capacitance	209
8-5 Calculation of leakage inductance	210
8-6 Differential windings	214
8-7 Ensuring stability of operating characteristics	215
8-8 Shielding of transformers and their windings	217
8-9 Nonlinear distortions in transformers	218
Ch. 9 Piezoelectric Resonators	221
Ch. 10 Dry-contact Rectifiers	226
Ch. 11 Switching Components	230
11-1 General information	230
Card 7/10	

Designing of Long-distance Communications Equipment	453
11-2 Permanent contacts	231
11-3 Variable contacts	236
11-4 Fuses and arresters	249
11-5 Electromagnetic relay	253
Ch. 12 General Information on Equipment Design	256
Ch. 13 Design of Equipment	276
13-1 Design procedure	276
13-2 Structural form of tube circuits	279
13-3 Structural form of passive electric quadripoles (Filters and equalizers)	282
13-4 Protection against moisture	287
13-5 Structural form of auxiliary components	291

Card 8/10